

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S39	9	((ehud NEAR2 cohen) OR (shai NEAR2 moshe)).in. AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2006/10/15 07:54
S40	739	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND (lead OR wire) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 07:59
S41	490	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire)) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 07:59
S42	575	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND (lead OR wire) AND ("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR implant\$ OR catheter OR silver OR steel) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:03
S43	377	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire)) AND ("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR implant\$ OR catheter OR silver OR steel) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:18
S44	348	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire)) AND ("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR silver OR steel) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:18
S45	242	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire)) AND (implant\$ OR catheter) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:19

EAST Search History

S46	242	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire)) AND S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:24
S47	32	((solder\$5 WITH (connector OR tab OR pad OR contact) WITH (circuit\$3 OR substrate OR wafer)) SAME (lead OR wire OR conductor)) AND (implant\$ OR catheter) AND ("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR silver OR steel) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:37
S48	32	((solder\$5 WITH (connector OR tab OR pad OR contact) WITH (circuit\$3 OR substrate OR wafer)) SAME (lead OR wire OR conductor)) AND ("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR silver OR steel) AND S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:27
S49	3	crimp\$3 AND S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:48
S50	61	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND (implant\$ OR catheter) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3 OR hollow OR tube OR cylinder)) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:03
S51	61	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3 OR hollow OR tube OR cylinder)) AND S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 08:56

EAST Search History

S52	46	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND (implant\$ OR catheter) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3 OR hollow OR tube OR cylinder)) AND ((sensor OR transducer OR electrode) WITH (pressure OR temperature OR flow OR chemical OR electrochemical)) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:05
S53	50	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3 OR hollow OR tube OR cylinder)) AND ((sensor OR transducer OR electrode) WITH (pressure OR temperature OR flow OR chemical OR electrochemical)) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:19
S54	50	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3 OR hollow OR tube OR cylinder)) AND S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:12
S55	8	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire OR conductor)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND ((connector OR tab OR pad OR contact) WITH (tube OR cylinder)) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3)) AND ((sensor OR transducer OR electrode) WITH (pressure OR temperature OR flow OR chemical OR electrochemical)) AND (implant\$ OR catheter OR (guide ADJ wire) OR (in ADJ vivo) OR physiolog\$4 OR biosensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:35

EAST Search History

S56	8	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire OR conductor)) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3)) AND S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:26
S57	8	((solder\$5 WITH (connector OR tab OR pad OR contact))) AND ((connector OR tab OR pad OR contact) WITH (crimp\$3)) AND S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:29
S58	8	((solder\$5 WITH (connector OR tab OR pad OR contact))) AND ((crimp\$3)) AND S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:30
S59	8	((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND ((connector OR tab OR pad OR contact) WITH (tube OR cylinder)) AND S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:30
S60	8	((solder\$5 WITH (connector OR tab OR pad OR contact)) SAME (lead OR wire OR conductor)) AND ((connector OR tab OR pad OR contact) WITH (tube OR cylinder)) AND S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:31
S61	13	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND ((connector OR tab OR pad OR contact) SAME (tube OR cylinder) SAME (crimp\$3) SAME (lead OR wire OR conductor)) AND (((sensor OR transducer OR electrode) WITH (pressure OR temperature OR flow OR chemical OR electrochemical)) OR biosensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:42

EAST Search History

S62	13	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND ((connector OR tab OR pad OR contact) SAME (tube OR cylinder) SAME (crimp\$3) SAME (lead OR wire OR conductor)) AND S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:37
S63	7	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND (((connector OR tab OR pad OR contact) WITH (lead OR wire OR conductor)) SAME crimp\$3) AND ((tube OR cylinder) WITH (lead OR wire OR conductor)) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:47
S64	7	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND (((connector OR tab OR pad OR contact) WITH (lead OR wire OR conductor)) SAME crimp\$3) AND ((tube OR cylinder) WITH (lead OR wire OR conductor)) AND S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:45
S65	24	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND ((lead OR wire OR conductor) WITH ("MP35N" OR platinum OR iridium OR (iron NEAR5 (weight OR mass)) OR gold OR (silver NEAR3 core))) AND (((connector OR tab OR pad OR contact) SAME (lead OR wire OR conductor)) SAME crimp\$3) AND ((tube OR cylinder) WITH (lead OR wire OR conductor)) AND (((sensor OR transducer OR electrode) WITH (pressure OR temperature OR flow OR chemical OR electrochemical)) OR biosensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:48
S66	24	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND (((connector OR tab OR pad OR contact) SAME (lead OR wire OR conductor)) SAME crimp\$3) AND ((tube OR cylinder) WITH (lead OR wire OR conductor)) AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/15 09:48

EAST Search History

S67	10	("4242659" "4375056" "4841273" "4937552" "5037488" "5410291" "5610571").PN. OR ("5726624").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/15 09:52
S68	1	("2002/0055764").URPN.	USPAT	OR	ON	2006/10/15 09:55

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(solder\$5 WITH (connector OR tab OR pad OR contact)) AND crimp\$3 AND ("20020055764" OR "5726624").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:22
L2	15	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor) SAME (circuit\$3 OR substrate OR wafer OR plate)) AND crimp\$3 AND (implant\$ OR catheter OR (guide ADJ wire) OR guidewire) AND ("600"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 15:03
L3	15	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor) SAME (circuit\$3 OR substrate OR wafer OR plate)) AND crimp\$3 AND 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 14:59
L4	59	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor) SAME (circuit\$3 OR substrate OR wafer OR plate)) AND crimp\$3 AND (implant\$ OR catheter OR (guide ADJ wire) OR guidewire OR "in-vivo" OR (in ADJ vivo)) AND (sensor OR electrode OR transducer) AND ("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR silver OR steel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 15:05
L5	59	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor) SAME (circuit\$3 OR substrate OR wafer OR plate)) AND crimp\$3 AND ("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR silver OR steel) AND 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:23

EAST Search History

L6	193	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor) SAME (circuit\$3 OR substrate OR wafer OR plate OR electrode OR sensor OR transducer)) AND crimp\$3 AND (implant\$ OR catheter OR (guide ADJ wire) OR guidewire OR "in-vivo" OR (in ADJ vivo))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:34
L7	193	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor) SAME (circuit\$3 OR substrate OR wafer OR plate OR electrode OR sensor OR transducer)) AND crimp\$3 AND 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 16:58
L8	10	("4242659" "4375056" "4841273" "4937552" "5037488" "5410291" "5610571").PN. OR ("5726624").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/22 17:21
L9	1	solder\$5 AND crimp\$3 AND 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:22
L10	1	(US-6297723-\$).did.	USPAT	OR	ON	2006/10/22 17:24
L13	3	(US-6297723-\$).did. OR ("20020055764" OR "5726624").pn.	US-PGPUB; USPAT	OR	ON	2006/10/22 17:24
L14	3	("MP35N" OR platinum OR iridium OR iron OR gold OR (phosphoric ADJ2 acid) OR silver OR steel) AND 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:25
L15	231	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor)) AND crimp\$3 AND (implant\$ OR catheter OR (guide ADJ wire) OR guidewire OR "in-vivo" OR (in ADJ vivo)) AND ((flow OR stimulat\$3 OR pacing OR electrochemical OR chemical OR pressure OR glucose OR temperature) NEAR5 (electrode OR sensor OR transducer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:38

EAST Search History

L16	188	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor)) AND ((connector OR tab OR pad OR contact OR lead OR wire OR conducting OR conductor) WITH crimp\$3) AND (implant\$ OR catheter OR (guide ADJ wire) OR guidewire OR "in-vivo" OR (in ADJ vivo)) AND ((flow OR stimulat\$3 OR pacing OR electrochemical OR chemical OR pressure OR glucose OR temperature) NEAR5 (electrode OR sensor OR transducer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:38
L17	188	(solder\$5 SAME (connector OR tab OR pad OR contact) SAME (lead OR wire OR conducting OR conductor)) AND ((connector OR tab OR pad OR contact OR lead OR wire OR conducting OR conductor) WITH crimp\$3) AND 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2006/10/22 17:38